


Wellman

WE SET THE STANDARDS



WORLD LEADER AND ORIGINATOR OF
QUALITY SPECIALTY TOOLS FOR OVER 70 YEARS


Inspection Mirrors

For all angle viewing

Original All-Angle Ball Joint Mirrors with brushed finish stainless steel mirror backs.

Fast, accurate visual inspection of hidden areas with an almost limitless number of positions. Double ball joint links swivel mirrors for viewing to 360°. Ullman's precision engineered links are manufactured from tempered spring steel to withstand the stresses of constant repositioning, move freely, hold desired position.

K-2 SERIES



K-2 Rectangular Telescoping Mirror

2 1/8" x 3 1/2" mirror.
Overall length 11 1/4", extends to 15 1/4".
Std. pkg. 1 doz.
Pkg. wt. 4 lbs. 3 oz.

K-2L Rectangular Telescoping Mirror, extra long handle

2 1/8" x 3 1/2" mirror.
Overall length 17 1/4", extends to 27 1/2".
Std. pkg. 1 pc.
Pkg. wt. 7 oz.

K-2M Rectangular Magnifying Telescoping Mirror

2 1/8" x 3 1/2" mirror.
Overall length 11 1/4", extends to 15 1/4".
Std. pkg. 1 pc.
Pkg. wt. 5 oz.

K-2ML Rectangular Magnifying Telescoping Mirror

2 1/8" x 3 1/2" mirror.
Overall length 17 1/4", extends to 27 1/2".
Std. pkg. 1 pc.
Pkg. wt. 7 oz.

C-2 SERIES



C-2 Circular Telescoping Mirror

2 1/4" mirror diam.
Overall length 10", extends to 14".
Std. pkg. 1 doz.
Pkg. wt. 3 lbs. 10 oz.

C-2L Circular Telescoping Mirror, extra long handle

2 1/4" mirror diam.
Overall length 16", extends to 26".
Std. pkg. 1 pc.
Pkg. wt. 6 oz.


C-2M Circular Magnifying Telescoping Mirror

2 1/4" mirror diam.
Overall length 10", extends to 14".
Std. pkg. 1 pc.
Pkg. wt. 5 oz.

C-2ML Circular Magnifying Telescoping Mirror

2 1/4" mirror diam.
Overall length 16", extends to 26".
Std. pkg. 1 pc.
Pkg. wt. 6 oz.

S-2 SERIES



S-2 Circular Telescoping Mirror

3 1/4" mirror diam.
Overall length 11", extends to 15".
Std. pkg. 1 doz.
Pkg. wt. 4 lbs.

S-2L Circular Telescoping Mirror, extra long handle

3 1/4" mirror diam.
Overall length 17", extends to 27 1/4".
Std. pkg. 1 pc.
Pkg. wt. 7 oz.

FEATURES

- Replaceable clear glass mirrors for perfect reflection.
- Telescoping and pocket models.
- Non-rotating inner hex rods on telescopic models prevent mirrors from swinging out of alignment when in use.
- Insulating vinyl grip on all models.

A-2 SERIES



A-2 Circular Pocket Mirror

7/8" mirror diam.
Overall length 7 1/2".
Std. pkg. 1 doz.
Pkg. wt. 1 lb. 4 oz.

A-2M Circular Magnifying Pocket Mirror

7/8" mirror diam.
Overall length 7 1/2".
Std. pkg. 1 pc.
Pkg. wt. 2 oz.

E-2 SERIES



E-2 Circular Pocket Mirror

1 1/4" mirror diam.
Overall length 8".
Std. pkg. 1 doz.
Pkg. wt. 1 lb. 6 oz.

E-2M Circular Magnifying Pocket Mirror

1 1/4" mirror diam.
Overall length 8".
Std. pkg. 1 pc.
Pkg. wt. 2 oz.

B-2 SERIES



B-2 Oval Pocket Mirror

1" x 2" mirror.
Overall length 8 1/2".
Std. pkg. 1 doz.
Pkg. wt. 1 lb. 7 oz.

Refill Mirrors and Head Assemblies

Refill Mirrors Only

| Model No. | Mirror Size | Pkg. Wt. |
|-----------|-----------------|----------|
| B-2R | Oval 1" x 2" | 2 oz. |
| K-2R | 2 1/8" x 3 1/2" | 10 oz. |

Note: Refill Mirrors, Std. pkg. 1 doz.

Refill Head Assemblies

| Model No. | Mirror Size | Pkg. Wt. |
|-----------|-----------------|----------|
| A-2HD | 7/8" dia. | 1 oz. |
| B-2HD | 1" x 2" oval | 1 oz. |
| C-2HD | 2 1/4" diam. | 2 oz. |
| E-2HD | 1 1/4" diam. | 1 oz. |
| K-2HD | 2 1/8" x 3 1/2" | 2 oz. |
| S-2HD | 3 1/4" diam. | 2 oz. |

Refill Magnifying Mirrors Only

| Model No. | Mirror Size | Pkg. Wt. |
|-----------|-----------------|----------|
| K-2MR | 2 1/8" x 3 1/2" | 1 oz. |

Refill Magnifying Mirrors Head Assemblies

| Model No. | Mirror Size | Pkg. Wt. |
|-----------|-----------------|----------|
| A-2MHD | 7/8" diam. | 1 oz. |
| C-2MHD | 2 1/4" diam. | 2 oz. |
| E-2MHD | 1 1/4" diam. | 1 oz. |
| K-2MHD | 2 1/8" x 3 1/2" | 2 oz. |



Telescoping Inspection Mirrors

For all angle viewing

- Clear glass mirror for perfect reflection.
- All-angle ball joint holds mirror firmly for 360° viewing.
- Mirror encased in rugged corrosion resistant brushed stainless steel.
- Comfortable textured cushion grip keeps handle secure even in wet or oily hands.

SEE PAGE 15 FOR DISPLAY

* LONGER, STRONGER AND LIGHTWEIGHT

Unique combination of features make these Inspection Mirrors the ones you will keep within reach at all times.

HT-E2 Circular Telescoping Inspection Mirror

Stainless steel telescoping handle is strong, long, and lightweight.

1 1/4" mirror diam.

Telescopes from 6 1/2" to 35".

Std. pkg. 1 doz.
Pkg. wt. 2 lbs. 2 oz.



HT-C2 Circular Telescoping Inspection Mirror

Stainless steel telescoping handle is strong, long, and lightweight.

2 1/4" mirror diam.

Telescopes from 6 1/2" to 36 3/8".

Std. pkg. 1 doz.
Pkg. wt. 3 lbs. 2 oz.



HT-S2 Circular Telescoping Inspection Mirror

Stainless steel telescoping handle is strong, long, and lightweight.

3 1/4" mirror diam.

Telescopes from 6 1/2" to 29 1/2".

Std. pkg. 1 doz.
Pkg. wt. 3 lbs. 10 oz.



HTA2-T Circular Telescoping Inspection Mirror

7/8" mirror diam.

Telescopes from 5 5/16" to 27 1/8".

Std. pkg. 1 doz.
Pkg. wt. 1 lb. 5 oz.



HTE2-T Circular Telescoping Inspection Mirror

1 1/4" mirror diam.

Telescopes from 5 5/16" to 27 1/2".

Std. pkg. 1 doz.
Pkg. wt. 1 lb. 6 oz.



HTB2-T Oval Telescoping Inspection Mirror

1" x 2" oval mirror.

Telescopes from 5 5/16" to 28 1/4".

Std. pkg. 1 doz.
Pkg. wt. 1 lb. 6 oz.



Pocket Telescoping Inspection Mirrors

Perfect for seeing behind or around pipes or panels. . . inspecting on the production line or to check hidden areas on engines, boats. Bright chrome-plated telescopic handles work smoothly. Double ball joints swivel for viewing a full 360°.

Precision engineered links of tempered spring steel withstand stress of constant repositioning, move freely and hold desired position. Clear glass mirrors for perfect reflection are replaceable, have brushed finish stainless steel backs.

A-2T Circular Telescopic Inspection Mirror

7/8" mirror diam.

Extends to 18".
Closes down to 4 1/2".

Std. pkg. 1 doz.
Pkg. wt. 15 oz.



E-2T Circular Telescopic Inspection Mirror

1 1/4" mirror diam.

Extends to 18 1/2".
Closes down to 4 1/2".

Std. pkg. 1 doz.
Pkg. wt. 1 lb. 10 oz.



B-2T Oval Telescopic Inspection Mirror

1" x 2" oval mirror.

Extends to 19 1/2".
Closes down to 4 1/2".

Std. pkg. 1 doz.
Pkg. wt. 1 lb. 2 oz.



Ullman

Pocket Telescoping Inspection Mirror with Magnetic Pick-up Tools

- Two handy tools in one!
- All-angle ball joints holds mirror firmly at any angle.
- Powerful long-life magnet.

Strong long-life magnet is ideal for retrieving nuts, bolts and tools in hard-to-reach areas.

A-2TM Circular Telescopic Inspection Mirror/ Magnetic Pick-Up Tool

7/8" round mirror and magnetic pick-up tool

Telescopes 5 5/8" to 19 1/2".

Std. pkg. 1 doz.
Pkg. wt. 1 lb. 6 oz.



E-2TM Circular Telescopic Inspection Mirror/ Magnetic Pick-Up Tool

1 1/4" round mirror and magnetic pick-up tool

Telescopes 5 5/8" to 19 7/8".

Std. pkg. 1 doz.
Pkg. wt. 1 lb. 7 oz.



B-2TM Oval Telescopic Inspection Mirror/ Magnetic Pick-Up Tool

1" x 2" oval mirror and magnetic pick-up tool

Telescopes 5 5/8" to 20 3/4".

Std. pkg. 1 doz.
Pkg. wt. 1 lb. 8 oz.



Ullman

Telescoping Magnifying Glass



MAGNIFYING

Magnifies part numbers, serial numbers and hidden areas for better viewing.

- Shatter resistant magnifying head telescopes 6 7/8" to 36 1/8" .
- All-angle ball joint holds magnifying head firmly at any angle.
- Stainless steel telescoping handle is long, strong and lightweight.
- Comfortable textured cushion grip handle will not slip in wet or oily hands.

MG-2

2 3/8" diam. magnifying head.

Std. pkg. 1 doz.
Pkg. wt. 3 lbs. 4 oz.

Ullman

Inspection Mirrors

Welding and Inspection Mirrors

Heavy-duty with extra powerful magnetic base

Perfect for welding in awkward places. Mounts and adjusts in seconds to bring hidden areas into full view.



MX

Rectangular Magnetic Base Inspection Mirror

2 1/8" x 3 1/2" quick-change replaceable mirror

Std. pkg. 1 pc.
Pkg. wt. 1 lb.



C-2X

Circular Magnetic Base Inspection Mirror

2 1/4" mirror diam.

Std. pkg. 1 pc.
Pkg. wt. 3 1/2 oz.



S-2X

Circular Magnetic Base Inspection Mirror

3 1/4" mirror diam.

Std. pkg. 1 pc.
Pkg. wt. 4 1/4 oz.

Magnetic Pick-Up Tools

Telescoping MegaMag® Magnetic Pick-up Tool

Lifts 16 lbs.

Goblet-shaped head pushes flux to the top of the magnet.

GM-2

- Telescopes from 7 1/8" to 30 1/4".
- Head shields the sides of the magnet from attaching to unwanted metal surfaces
- Stainless steel handle is long, strong and lightweight
- Comfortable textured cushion pistol grip keeps handle secure even in wet or oily hands.

Std. pkg. 1 doz.
Pkg. wt. 3 lbs. 3 oz.

MegaMag Patent numbers: 6392517, D446701



Dual Tool Telescoping MegaMag® Magnetic Pick-Up Tool with Inspection Mirror.

Lifts 16 lbs.

Mirror with metal base mounts to MegaMag in seconds to bring hidden areas into full view.

GMC-2

- 2 1/4" diam. mirror
- Telescopes from 9" to 34 1/4".

Std. pkg. 1 doz.
Pkg. wt. 4 lbs. 7 oz.

PATENT PENDING



Telescoping Magnetic Pick-Up Tools with Powercap®

Lifts at least 45% with the Powercap, and it shields the sides of the magnet from attaching to unwanted metal surfaces.

- Stainless steel handle is long, strong and lightweight.
- Pocket clip keeps it handy and secure
- Comfortable textured cushion grip keeps handle secure even in wet or oily hands.

SEE PAGE 15 FOR DISPLAY

Powercap Patent numbers: 5999074, 5945901, D413497, D397006

HT-1 Powercap® Telescoping Magnetic Pick-up Tool

Lifts 1 1/2 lbs. over 2 lbs with Powercap®

Telescopes from 6 5/8" to 33 1/4".

Std. pkg. 1 doz.
Pkg. wt. 2 lbs. 5 oz.



HT-2 Powercap® Telescoping Magnetic Pick-up Tool

Lifts 3 1/2 lbs. over 5 lbs with Powercap®

Telescopes from 6 5/8" to 33 1/4".

Std. pkg. 1 doz.
Pkg. wt. 2 lbs. 5 oz.



HT-3 Powercap® Telescoping Magnetic Pick-up Tool

Lifts 5 lbs. over 10 lbs with Powercap®

Telescopes from 6 3/4" to 30 1/4".

Std. pkg. 1 doz.
Pkg. wt. 2 lbs. 8 oz.



Pocket Telescoping Magnetic Pick-Up Tools

HT-5 Powercap® Pocket Telescoping Magnetic Pick-up Tool

Lifts 1 1/2 lbs. over 3 lbs with Powercap®

Telescopes from 5 1/2" to 25 1/2".

Std. pkg. 1 doz.
Pkg. wt. 3 lbs. 5 oz.



No. 19X Pocket Telescoping Magnetic Pick-up Tool

Powerful enough to pick up ferrous metal objects weighing 3 1/2 lbs.

Telescopes from 5 7/8" to 25 5/8".

Std. pkg. 1 doz.
Pkg. wt. 2 lbs. 2 oz.

Chrome-Plated



No. 15X* Pocket Telescoping Magnetic Pick-up Tool

Picks up ferrous metal objects weighing 1 1/2 lbs.

Telescopes from 5 7/8" to 25 9/16".

Std. pkg. 1 doz.
Pkg. wt. 2 lbs. 2 oz.

*Available in
15XOR Bright Orange
15XGR Neon Green
15X Chrome-Plated



HT-5DIS
Counter top display contains five red and five black HT-5.

Std. pkg. 12 pcs.
Pkg. wt. 14 oz.



Ullman

WE SET THE STANDARDS

DISPLAY FOR NEW HIGH TECH
MAGNETIC PICK-UP TOOLS AND INSPECTION MIRRORS



Std. pkg. 1
Pkg. wt. 5 lbs. 6 oz.

HT-DISP eye catching counter or shelf display holds three each:

- **HT-1** lifts 1 1/2 pounds, over 2 pounds with POWERCAP® telescopes from 6 5/8" to 33 1/4".
- **HT-2** lifts 3 1/2 pounds, over 5 pounds with POWERCAP® telescopes from 6 5/8" to 33 1/4".
- **HT-3** lifts 5 pounds, 10 pounds with POWERCAP® telescopes from 6 3/4" to 30 1/4".
- **HTE-2** with 1 1/4" mirror for viewing in tight areas telescopes from 6 1/2" to 35".
- **HTC-2** with 2 1/4" mirror for viewing in less restricted areas telescopes from 6 1/2" to 36 3/8".
- **HTS-2** with 3 1/4" mirror for brightest clearest viewing with room to maneuver telescopes from 6 1/2" to 29 1/2".



distributed by :

Newman Tools Inc.
185 Iber Rd.
Ottawa, Ontario, Canada K2S 1E7
Tel 613-836-6776 Fax 613-836-9070
www.newmantools.com tel 1-800-465-1384 fax 1-800-605-2442

CATALOG NO. 108

© ULLMAN DEVICES CORPORATION 2004

PRINTED IN U.S.A.

NDTKALA[®].CO
Non-Destructive Test (NDT) Equipment

تامین تجهیزات و مواد مصرفی تست های غیر مخرب ایران
۰۲۱-۷۱۰۵۳۸۸۸ ۰۹۱۲۰۲۶۶۲۷۰

www.newmantools.com tel 1-800-465-1384 fax 1-800-605-2442