



3nh

中文 | EN



0086 13510878132

- Home
- Products
- News
- About us
- Industries
- Service & Support
- Download
- Contact us

3nh三恩时

TILO ST... IGE SSU

Home >> Products >> Color Assessment Cabinets >> T60(S) Color Assessment Cabinet

Online Service



- Skype
- Tel
- Email
- Top

T60(S) Color Assessment Cabinet

2024-07-10

170

Introduction:

Brand: TILO
 Made in China
 Configuration: D65, TL84, F, UV,CWF five light sources
 Weight: 23Kg
 Dimensions(WxDxH): 710x405x570 mm

TILO T60(S) Color Assessment Cabinet is equipped with 5 light sources. The consistency of the light sources in all Tilo Colour Assessment Cabinets gives excellent viewing conditions for reliable colour critical decisions under consistent lighting.

TILO T60(S) Color Assessment Cabinet can be applied to the industries that need to perform color difference testing as follows: as the premiere designer and manufacturer of color matching instrument products for the Graphic arts, Photographic, Textile, Dyeing, Packaging, Printing, Leather, Inks, Knitwear, Plastic, Automotive and Ceramics industries.

STAND LIGHT SOURCE BOX T60(S)

TILO INTELLIGENT FIVE LIGHT SOURCE BOX

PROFESSIONAL COLOR MANAGEMENT EXPERT

TILO WAS ESTABLISHED IN 1996, SPECIALIZING IN THE DEVELOPMENT AND PRODUCTION OF COLOR MATCHING LIGHT BOX FOR 18 YEARS!

Go

- Home +
- Products +
- News +
- About us +
- Industries +
- Service & Support +
- Download +
- Contact us +

NDTKALA.CO

Non-Destructive Test (NDT) Equipment



تامین تجهیزات و مواد مصرفی تست های غیر مخرب ایران

021-71053888 | 09120246270



Features:

1. TILO Color light booth render color more accurately. With 5 different light sources(D65, TL84, CWF, F, UV), which can detect the metamerism.
2. Meets or exceeds major international standards for visual color evaluation including: ASTM D1729, ISO3664, DIN, ANSI and BSI.
3. Easy to operate by using individual switches for each light source.
4. Elapsed time meter for tracking optimal lamp replacement.
5. Automatically alternating among light sources.
6. No warm-up time or flickering which insures quick and reliable color judgment.
7. Economic power consumption and low heat generation for high light efficiency.
8. The dimension can be made by customized.

NO.01
SMALL SIZE

Small in size can be placed in any position to match color, convenient to install and observe the result convenient for customers.





NO.02
FIVE STANDARD LIGHT SOURCES

TILO provides five kinds of light sources—7 lamps and 6 filters, you can freely choose the contrast environment you need.

NO.03
LCD SCREEN

The LCD screen clearly shows the standard light source being used, and displays the times and total time of the light source.





NO.04
INTELLIGENT BUTTON

The button board is marked with various standard light source names, it's automatically switched and has metamerism function.

NO.05
ABSORBING TYPE MEDIUM GRAY

All of TILO's light booths use the international color-matching standard of light absorbing medium-gray paint as the background color.



Specifications:

Order No.	Name	Model	D65	TL84	F	UV	CWF	Voltage
10115	Standard light source booth	T60(S) five light source	2 pcs	2 pcs	4 pcs	1 pcs	2 pcs	220V/50Hz
10815	Standard light source booth	T60(S) five light source	1 pcs	2 pcs	4 pcs	1 pcs	2 pcs	115V/60Hz

Optional accessories: light source diffuser, 45 degree standard stand.

Light Sources:

Light Source	Color viewing booths application	Color temperature(k)	Power(W)
D65	International standard Artificial Daylight	6500	18
TL84	Applied to stores in Europe, Japan and China	4000	18
CWF	(Cool White Fluorescent) American Standard	4150	18
F/A	"Sun-setting Light Yellow" incandescent light source (imitation of sunset)	2700	40
UV	Viewing under ultraviolet light to detect and evaluate optical brighteners or fluorescent pigments	Wave length:365nm	18
TL83	Warm White Fluorescent American Standard	3000	18

◀ Previous: CC120 Color Viewer Light Table

Next: T60(4) Color Assessment Cabinet ▶

RECOMMENDED PRODUCT

[More](#)



TS7700 Grating Spectrophotometer

♥ 1029



YS6060 Benchtop Grating Spectrophotometer

♥ 2645



YS3060 Grating Spectrophotometer with UV SCI/SCE

♥ 5800

Bluetooth



NS810 Portable Spectrophotometer ♥ 5960



NR60CP Colorimeter ♥ 3883



NH310 Portable Colorimeter ♥ 9478

NEWS

[More](#)



2020-03-31

Imatest in Beijing, China

🔥 968

[Details](#)

04-11

New Guangdong ThreeNH ba...

2024

Last year our headquarters moved... [Details>](#)

03-08

New company name Guangdo...

2024

Last year for expanding market an... [Details>](#)

03-31

Imatest in Beijing, China

2020

Imatest representatives will visit Be... [Details>](#)

03-31

3nh Products Have Got CE Cer...

2020

CE-certification or CE Marking is a ... [Details>](#)

01-08

Declaration of 3nh & TILO Mail

2018

Shenzhen 3NH (ThreeNH) Technol... [Details>](#)

3nh 三恩时

6-8/F, Building B33, Low-Carbon
Headquarters Park, 400
Xincheng Avenue, Zengcheng
District, Guangzhou, P.R. China.

☎ 0086 13510878132



QUICK LINK

[Home](#)
[News](#)
[Industries](#)
[Download](#)

[Products](#)
[About us](#)
[Service & Support](#)
[Contact us](#)

Contact Us

Name

Email

Content

[Submit](#)